

**AMENDMENTS TO THE CLAIMS**

1. (Original) A method of generating a representation of the compositional distribution of a chemical sample as a function of depth, comprising:
  - irradiating the sample with radiation having a plurality of frequencies in the range from 25GHz to 100THz;
  - detecting radiation reflected from and/or transmitted by said sample to obtain a time domain waveform;
  - obtaining frequency data as a function of time from the time domain waveform;
  - deriving the representation from the frequency data.
2. (Original) A method of generating a representation of the granularity of a chemical sample as a function of depth, comprising:
  - irradiating the sample with radiation having a plurality of frequencies in the range from 25GHz to 100THz;
  - detecting radiation reflected from and/or transmitted by said sample to obtain a time domain waveform;
  - obtaining frequency data as a function of time from the time domain waveform;
  - deriving the representation from the frequency data.
3. (Previously Presented) The method according to claim 1 wherein the sample is a pharmaceutical sample.
4. (Previously Presented) The method of claim 1 wherein frequency data as a function of time is obtained from the time domain waveform using a Gabor transform.
5. (Original) The method of claim 4 wherein the Gabor transform is implemented using a windowed Fourier transform, a correlation of a specific kernel function or a filter-bank.

6. (Previously Presented) The method of claim 4 further comprising applying the Gabor function to the time domain waveform and selecting frequency, window type and/or window width of the Gabor function to optimise spectral or temporal features.

7. (Currently amended) The method according to claim 1 ~~any preceding claim~~ wherein the compositional distribution representation is a three dimensional representation.

8. (Previously Presented) The method according to claim 1 further comprising:  
subdividing the sample to be imaged into a two-dimensional array of pixels,  
detecting radiation from each pixel; obtaining a time domain waveform for each  
pixels; and

obtaining frequency data as a function of time for each pixel from the respective  
time domain waveforms;

deriving a representation as a function of depth at each pixel from the respective  
frequency data; and

combining the representations for each pixel into a three dimensional compositional  
distribution representation for the sample.

9. (Previously Presented) The method according to claim 1 further comprising:  
subdividing the sample to be imaged into a two-dimensional array of pixels,  
detecting radiation from each pixel;

obtaining frequency data as a function of time for each pixel from the respective  
time domain waveforms;

deriving a cross-sectional compositional representation from the respective  
frequency data.

10. (Previously presented) The method of claim 1 wherein the radiation is pulsed.

11. (Original) An apparatus for creating a three dimensional compositional distribution representation of a chemical sample, the apparatus comprising:

emitter for irradiating the sample with radiation having a frequency in the range from 25GHz to 100THz;

detector for detecting radiation reflected from and/or transmitted by the sample at a plurality of pixels and producing a time domain waveform for each pixel;

means for obtaining frequency data as a function of time from the time domain waveform for each pixel;

means for deriving a compositional representation as a function of depth from the frequency data for each pixel; and

means for combining the representations for each pixel to generate the three dimensional compositional distribution representation.

12. (Original) The apparatus of claim 11 wherein the sample is a pharmaceutical sample.

13. (Previously Presented) The apparatus of claim 11 wherein the means for obtaining frequency data obtains the frequency data by applying a Gabor transform to the time domain waveform for each pixel.

14. (Previously Presented) The method according to claim 1 as used in a pharmaceutical manufacturing process.